

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	38	beringer-joerg.in.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/04/16 09:04
S2	14	S1 and (resource and profile)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 09:17
S3	3	haeussler-annette.in.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 09:20
S4	33	nieves-sandra.in.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 09:21
S5	1	S1 and S3 and S4	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 10:40
S6	42580	("707").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 10:40
S7	8128	(707/3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 10:41
S8	63	search\$3 near (source data resource document people) near profile	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 10:58
S9	6	(search\$3 near (source data resource document people) near profile).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 10:48
S10	0	(search\$3 near (source data resource document people) near profile).ti.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 10:48
S11	8	(search\$3 near profile).ti.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 10:51
S12	70	(search\$3 near profile).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 10:53
S13	7	(receiv\$3 get\$4 accept acquir\$4) near (characteristic attribute propert\$3 feature facet) near (resource source document people book) near (user end? user person one individual searcher requestor looker)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:50

S14	1	(receiv\$3 get\$4 accept acquir\$4) near (characteristic attribute propert\$3 feature facet) near (search\$3 extract\$3 query\$3 locat\$3 look\$3) near (resource source document people book) near (profile preference characteristic )	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 10:57
S15	7	S8 and S12	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:03
S16	19	S7 and S12	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:13
S17	37	S6 and S12 not S15	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:23
S18	44	S6 and S12	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:14
S19	11	(US-20050086204-\$).did. or (US-6915295-\$ or US-6895406-\$ or US-6757691-\$ or US-7054860-\$ or US-6119114-\$ or US-7152063-\$ or US-6907423-\$ or US-6199067-\$ or US-5721906-\$ or US-6732358-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/04/16 11:35
S20	7	S19 and (narrow\$3 refin\$4 filter \$4)	US-PGPUB; USPAT	OR	OFF	2007/04/16 11:39
S21	2	S19 and ((narrow\$3 refin\$4 filter \$4)near (search result output))	US-PGPUB; USPAT	OR	OFF	2007/04/16 11:39
S22	5537	((search\$3 extract\$ query\$3 locat\$3 look\$3) same profile).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/17 09:12
S23	356	S6 and S22	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:51
S24	774	S23 ((receiv\$3 get\$4 accept acquir\$4) near (additiona extra more new further other supplement\$3) same (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:57
S25	0	S23 and ((receiv\$3 get\$4 accept acquir\$4) near (additiona extra more new further other supplement\$3) same (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:58

S26	0	S22 and ((receiv\$3 get\$4 accept acquir\$4) near (additiona extra more new further other supplement\$3) same (characteristic attribute propert \$3 feature facet keyword) same (narrow\$3 refin\$4 refinement))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:57
S27	1	S23 and ((receiv\$3 get\$4 accept acquir\$4) same (additiona extra more new further other supplement\$3) same (characteristic attribute propert \$3 feature facet keyword) same (narrow\$3 refin\$4 refinement))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:59
S28	0	((receiv\$3 get\$4 accept acquir \$4) near (additiona extra more new further other supplement\$3) near (characteristic attribute propert\$3 feature facet keyword) near (narrow\$3 refin\$4 refinement)near (search\$3 quer \$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:02
S29	1058707	((receiv\$3 get\$4 accept acquir \$4) near (additiona extra more new further other supplement\$3) near (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement) (search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:02
S30	0	((receiv\$3 get\$4 accept acquir \$4) near (additiona extra more new further other supplement\$3) near (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement)near (search\$3 quer \$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:03
S31	0	((receiv\$3 get\$4 accept acquir \$4) near (additiona extra more new further other supplement\$3) near (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement)near(search\$3 quer \$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:03
S32	0	((receiv\$3 get\$4 accept acquir \$4) near (additiona extra more new further other supplement\$3) near (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement)same(search\$3 quer \$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:04

S33	43	((receiv\$3 get\$4 accept acquir\$4) near (additiona extra more new further other supplement\$3) same (characteristic attribute propt\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement) same (search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:13
S34	16	S6 and S33	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:05
S35	27	S33 not S34	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:12
S36	80	((additiona extra more new further other supplement\$3) near (characteristic attribute propt\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement) near (search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:40
S37	3	((additiona extra more new further other supplement\$3) near (characteristic attribute propt\$3 feature facet keyword) near (narrow\$3 refin\$4 refinement) near (search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:28
S38	9157	((narrow\$3 refin\$4 refinement) near (result hit hit?list match\$2 match?list search?result))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:36
S39	125	((narrow\$3 refin\$4 refinement) near (result hit hit?list match\$2 match?list search?result)).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:33
S40	13	S39 and S6	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:33
S41	84	((narrow\$3 refin\$4 refinement) near (result hit hit?list match\$2 match?list search?result) near (additiona extra more new further other supplement\$3) )	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:55
S42	9	S41 and S6	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:37
S43	1001	((additiona extra more new further other supplement\$3) near (characteristic attribute propt\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement) and (search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 13:25
S44	39	((additiona extra more new further other supplement\$3) near (characteristic attribute propt\$3 feature facet keyword) near (narrow\$3 refin\$4 refinement) and (search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:42

S45	27	S44 and (@ad<="20031212" @pd<="20031212" @prad<="20040408")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:05
S46	4	S45 and S6	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:44
S47	125	((narrow\$3 refin\$4 refinement) near(result hit hit?list match\$2 match?list search?result)).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:55
S48	109	S47 and (@ad<="20031212" @pd<="20031212" @prad<="20040408")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 13:51
S49	11	S6 and S48	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:56
S50	4	((additiona extra more new further other supplement\$3) near (narrow\$3 refin\$4 refinement) near(search\$3 quer\$4 look\$3) near (user end?user searcher looker viewer person))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 13:51
S51	466	((narrow\$3 refin\$4 refinement) near(search\$3 quer\$4 look\$3 result hit match)near (user end? user searcher looker viewer person))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 13:50
S52	294	S6 and S51	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 13:51
S53	216	S52 and (@ad<="20031212" @pd<="20031212" @prad<="20040408")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 13:51
S54	0	S53 and ((additiona extra more new further other supplement\$3) near(narrow\$3 refin\$4 refinement)near(search\$3 quer \$4 look\$3)near (user end?user searcher looker viewer person)). ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 13:52
S55	113	S53 and S7	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:19
S56	2	("6324534").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 15:45
S57	122	"55" and ((sort\$3 group order\$3 segment\$3 componentiz\$3 devid \$3)near (resource source data result document) near (attribute facet characteristic))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:23

S58	42580	("707").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:23
S59	8128	(707/3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:23
S60	466	((narrow\$3 refin\$4 refinement) near(search\$3 quer\$4 look\$3 result hit match)near (user end? user searcher looker viewer person))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:23
S61	294	S58 and S60	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:23
S62	216	S61 and (@ad<="20031212" @pd<="20031212" @prad<="20040408")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:23
S63	113	S62 and S59	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:23
S64	0	S63 and ((sort\$3 group oredr\$3 segment\$3 componentiz\$3 devid \$3)near (resource source data result document) near (attribute facet characteristic))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:24
S65	23	S63 and ((sort\$3 group oredr\$3 segment\$3 componentiz\$3 devid \$3)near (resource source data result document))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:24
S66	18	(US-20030130994-\$ or US- 20030217052-\$ or US- 20040083213-\$ or US- 20050086204-\$).did. or (US- 7152063-\$ or US-6907423-\$ or US-6199067-\$ or US-6119114-\$ or US-6944612-\$ or US-6766316- \$ or US-7054860-\$ or US- 6732358-\$ or US-6813618-\$ or US-6895406-\$ or US-6915295-\$ or US-6757691-\$ or US-5721906- \$ or US-6850900-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/04/17 09:03
S67	13	S66 and profile	US-PGPUB; USPAT	OR	OFF	2007/04/17 09:03
S68	10	S66 and (profile).ab.	US-PGPUB; USPAT	OR	OFF	2007/04/17 09:03
S69	0	((search\$3 extract\$ query\$3 locat \$3 look\$3) near resource near profile).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/17 09:13
S70	17	((search\$3 extract\$ query\$3 locat \$3 look\$3) same resource near profile).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/17 12:10

S71	2	("20030130994").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 14:46
S72	2	("20040133413").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 16:04
S73	0	("2050086204").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 16:04
S74	2	("20050086204").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 18:17
S75	146	((segment\$3 group\$3 divid\$3 partition\$3 segment\$3) near (hit match\$2 results output) near (facet attribut factor))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/17 18:23
S76	8138	(707/3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 18:23
S77	0	S75 and S76	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/17 18:24
S78	42616	("707").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 18:25
S79	1	S75 and S78	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/17 18:24
S80	13	S75 and (search\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/04/17 18:25
S81	66	((search\$3 query\$3 quuries)near template).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:05
S82	48	S81 and (@ad<="20031212" @pd<="20031212" @prad<="20040408")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:18
S83	8138	(707/3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 10:06

S84	12	S82 and S83	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 13:31
S85	749	(search\$3 near template near auto?configur\$3 auto? configuration)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:19
S86	48	S82 and (@ad<="20031212" @pd<="20031212" @prad<="20040408")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:18
S87	12	S83 and S86	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:18
S88	1	(search\$3 near template near (auto?configur\$3 auto? configuration))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:20
S89	1	(search\$3 near template same (auto?configur\$3 auto? configuration))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:20
S90	2	(search\$3 near template near (auto automatical\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:21
S91	59	(search\$3 near template same (auto automatical\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:21
S92	2	S91 and S83	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:21
S93	1119	auto?configur\$5	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 13:33
S94	4	S93 and ((search\$3 query\$3) near template)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 13:41
S95	2	("20030130994").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 13:43
S96	2	("5721906").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 13:47
S97	182	((automatic automatical\$3) near (configuration configur\$4 customiz\$3 customization)near (template display screen))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/04/18 13:54
S98	8138	(707/3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 13:52
S99	1	S97 and S98	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/04/18 13:52



S100	42616	("707").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 13:52
S101	13	S97 and S100	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/04/18 13:52
S102	28	((automatic automatical\$3) near (configuration configur\$4 customiz\$3 customization)near (template screen))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/04/18 13:54
S103	757	((receiv\$4 get\$4 accept acquir\$3 obtain\$3 ) same (second\$3 more extra further other another) same (attribute characteristic facet criter\$3 key?word keyword) same (refin\$3 narrow\$) same search\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/18 17:14
S104	19	S103 and ((receiv\$4 get\$4 accept acquir\$3 obtain\$3 ) same (second\$3 more extra further other another) near (attribute characteristic facet criter\$3 key? word keyword) same (refin\$3 narrow\$) near search\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/18 17:36
S105	10	S104 and @ad< "20021225"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/18 17:40
S106	9	S104 not S105	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/18 17:39
S107	8979	(707/3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 17:39
S108	62074	("707").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 17:39
S109	101	S103 and S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 17:39
S110	222	S103 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 17:39
S111	41	S109 and @ad< "20021225"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/18 17:40

S112	37	S111 not S104	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/18 17:40
S113	919	(edit\$3 writ\$3 typ\$3 creat\$3 correct\$3 modif\$3 publish\$3 revis \$3 rewrit\$3 rework\$3 generat\$3 produc\$3 compos\$3) near3 ((source data resource document people) adj1 profile)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/06/30 11:29
S114	292	S113 and ((edit\$3 writ\$3 typ\$3 creat\$3 correct\$3 modif\$3 publish \$3 revis\$3 rewrit\$3 rework\$3 generat\$3 produc\$3 compos\$3) near2 (approv\$3 accept\$3 agree \$3 allow\$3 authoriz\$3 authoris\$3 endors\$3 okey\$3 confirm\$3 affirm \$3 ratif\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/06/30 11:33
S115	62	S114 and ((edit\$3 writ\$3 typ\$3 creat\$3 correct\$3 modif\$3 publish \$3 revis\$3 rewrit\$3 rework\$3 generat\$3 produc\$3 compos\$3) with (approv\$3 accept\$3 agree\$3 allow\$3 authoriz\$3 authoris\$3 endors\$3 okey\$3 confirm\$3 affirm \$3 ratif\$3) with ((source data resource document people) adj1 profile))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/06/30 11:34
S116	39	S115 and @ad< "20021223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/06/30 11:36
S117	26	"20020087600".pn. "20020138331".pn. "20040098467".pn. "5754939". pn. "6167564".pn. "6185587".pn. "6327328".pn. "6643661".pn. "6668353".pn. "6697865".pn. "7054923".pn. "7124355".pn. "7177924".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/30 17:36
S118	6	"20020059379".pn. "7222369". pn. "7340679".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/30 17:40
S119	13712	(select\$3 choos\$3 pick\$3 elect \$3) with (ui interface) with (layout design format outline arrangement model)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/02 17:21
S120	53	(select\$3 choos\$3 pick\$3 elect \$3) adj1 ( (ui interface) near1 (layout design format outline arrangement model))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/02 17:22
S121	4	(select\$3 choos\$3 pick\$3 elect \$3) near1 (ui interface) near1 (layout design format outline arrangement model) with (key keyword key?word attribute feature)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/02 17:34

S122	95	(select\$3 choos\$3 pick\$3 elect \$3) with (ui interface) near1 (layout design format outline arrangement model) with (key keyword key?word attribute feature)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/02 17:37
S123	10	(select\$3 choos\$3 pick\$3 elect \$3) near2 (ui interface) near1 (layout design format outline arrangement model) with (key keyword key?word attribute feature)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/02 17:38
S124	294	(select\$3 choos\$3 pick\$3 elect \$3) near2 (( (ui interface) near1 (layout design format outline arrangement model)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 21:46
S125	141	(select\$3 choos\$3 pick\$3 elect \$3) near1 (( (ui interface) near1 (layout design format outline arrangement model)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 21:46
S126	93	S125 and @ad<="20031223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 21:48
S127	75	S125 and @ad<="20021223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 21:49
S128	570	(select\$3 choos\$3 pick\$3 elect \$3) with (( (ui interface) near1 (layout arrangement format)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 22:18
S129	161119	"707".clas. "715".clas. "709".clas.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 22:19
S130	143	S128 and S129	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 22:19
S131	75	S130 and @ad<="20021223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 22:27
S132	570	(select\$3 choos\$3 pick\$3 elect \$3) with (( (ui interface) near1 (layout arrangement format)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 10:28
S133	165	S132 and (select\$3 choos\$3 pick \$3 elect\$3) near2 (( (ui interface) near1 (layout arrangement format)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 10:28
S134	90	S133 and @ad<="20021223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 10:29
S135	161119	"707".clas. "715".clas. "709".clas.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 10:30
S136	143	S132 and S135	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 10:30

S137	75	S136 and @ad<="20021223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 10:30
S138	73	S134 not S137	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 10:30
S139	2	"5721906".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 11:27
S140	64	(select\$3 choos\$3 pick\$3 elect \$3) adj3 (( (ui interface) adj1 (layout arrangement format)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 12:14
S141	52	S140 and @ad<="20021223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 12:15
S142	29	(select\$3 choos\$3 pick\$3 elect \$3) with (( (ui interface) near (layout arrangement format)) with (based according))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 12:37
S143	12	S142 and @ad<="20021223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 12:37
S144	6	"5802499".pn. "6003011".pn. "6959268".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 14:52

1/ 5/ 2009 5:45:00 PM

C:\Documents and Settings\HJami\My Documents\EAST\Workspaces\10658584\_ResourceFinderTool.  
wsp